

## CD NON-STRUCTURAL IMPORTED PINE EXTERIOR PLYWOOD

### PRODUCT SPECIFICATIONS

<b>Product:</b>	C/D NON-STRUCTURAL PINE PLYWOOD
<b>Veneer Grade:</b>	C Grade (Face) and D Grade (Back)
<b>Core &amp; Veneer Timber</b>	Taeda Pine (Pinus Taeda, Pine)
<b>Species:</b>	Pinus (Pinaseae, Pine)
<b>Sheet Size:</b>	2400 x 1200mm
<b>Thicknesses:</b>	5mm, 7, 9, 12, 15, 17, 18, 19, 25mm
<b>Density:</b>	525kgs/m <sup>3</sup> (approx.)
<b>Glue Bond:</b>	Phenolic Resin – Weather Boil Proof (WBP)
<b>Formaldehyde:</b>	Emission “E0”
<b>Applications:</b>	Linings, noggings, subfloors, hoardings, DIY, etc.

### PRODUCT DESCRIPTION

A versatile product used in many applications and industries where a structural rating is not required suitable for both internal and external applications.

#### Finishing

In semi exposed exterior applications, the product must be adequately protected by the use of a suitable water based exterior paint or stain on both sides of the sheet & edges, irrespective of whether the sides are exposed to the weather or not. It is recommended to contact a reputable paint supplier and follow the manufacturer’s instructions. Do not use oil-based products on this plywood as oil-based paints or stains may penetrate the surface veneer of the plywood and react with adhesives that bond the core veneers together. No warranty or guarantee is offered by Luxon Pty Ltd (Luxon) if oil-based paint or stain has been applied to the plywood. This plywood is not suitable for use in the manufacture of doors and no warranty/ guarantee is offered by Luxon if this plywood is utilised in any application associated with the manufacture of doors.

#### Disclaimer

The information provided herein is believed to be accurate but is not warranted to be, whether it originated with Luxon or not. This information cannot be warranted by Luxon to be correct or appropriate for the recipient’s intended use. Recipients are advised to confirm in advance of need that the information is correct, applicable and suitable to their circumstances.